

HTML: The Markup Language

[« syntax](#)

[elements »](#)

5. HTML elements organized by function

This section provides an index of HTML elements organized into groups according to function.

5.1. The root element

- ① [html – root element](#)

5.2. Document metadata

- ① [head – document metadata container](#)
- ① [title – document title](#)
- ① [base – base URL](#)
- ① [link – inter-document relationship metadata](#)
- ① [meta – metadata](#) **CHANGED**
- ① [style – style \(presentation\) information](#)

5.3. Scripting

- ① [script – embedded script](#)
- ① [noscript – fallback content for script](#)

5.4. Sections

- ① [body – document body](#)
- ① [section – section](#) **NEW**
- ① [nav – group of navigational links](#) **NEW**
- ① [article – article](#) **NEW**
- ① [aside – tangential content](#) **NEW**
- ① [h1 – heading](#)
- ① [h2 – heading](#)
- ① [h3 – heading](#)
- ① [h4 – heading](#)
- ① [h5 – heading](#)
- ① [h6 – heading](#)
- ① [hgroup – heading group](#) **NEW**
- ① [header – header](#) **NEW**
- ① [footer – footer](#) **NEW**
- ① [address – contact information](#)

[jump](#)

5.5. Grouping content

- ① [p](#) – paragraph
- ① [hr](#) – thematic break **CHANGED**
- ① [br](#) – line break
- ① [pre](#) – preformatted text
- ① [blockquote](#) – block quotation
- ① [ol](#) – ordered list
- ① [ul](#) – unordered list
- ① [li](#) – list item
- ① [dl](#) – description list
- ① [dt](#) – term or name
- ① [dd](#) – description or value
- ① [figure](#) – figure with optional caption **NEW**
- ① [figcaption](#) – figure caption **NEW**
- ① [div](#) – generic flow container

5.6. Text-level semantics

- ① [a](#) – hyperlink **CHANGED**
- ① [em](#) – emphatic stress
- ① [strong](#) – strong importance
- ① [small](#) – small print **CHANGED**
- ① [s](#) – struck text **CHANGED**
- ① [cite](#) – cited title of a work **CHANGED**
- ① [q](#) – quoted text
- ① [dfn](#) – defining instance
- ① [abbr](#) – abbreviation
- ① [time](#) – date and/or time **NEW**
- ① [code](#) – code fragment
- ① [var](#) – variable or placeholder text
- ① [samp](#) – (sample) output
- ① [kbd](#) – user input
- ① [sub](#) – subscript
- ① [sup](#) – superscript
- ① [i](#) – offset text conventionally styled in italic **CHANGED**
- ① [b](#) – offset text conventionally styled in bold **CHANGED**
- ① [u](#) – offset text conventionally styled with an underline **CHANGED**
- ① [mark](#) – marked (highlighted) text **NEW**
- ① [ruby](#) – ruby annotation **NEW**
- ① [rt](#) – ruby text **NEW**
- ① [rp](#) – ruby parenthesis **NEW**
- ① [bdi](#) – BiDi isolate **NEW**
- ① [bdo](#) – BiDi override

jump

- ① [span](#) – generic span

5.7. Edits

- ① [ins](#) – inserted text
- ① [del](#) – deleted text

5.8. Embedded content

- ① [img](#) – image
- ① [iframe](#) – nested browsing context (inline frame)
- ① [embed](#) – integration point for plugins **NEW**
- ① [object](#) – generic external content
- ① [param](#) – initialization parameters for plugins
- ① [video](#) – video **NEW**
- ① [audio](#) – audio stream **NEW**
- ① [source](#) – media source **NEW**
- ① [track](#) – supplementary media track **NEW**
- ① [canvas](#) – canvas for dynamic graphics **NEW**
- ① [map](#) – image-map definition
- ① [area](#) – image-map hyperlink

5.9. Tables

- ① [table](#) – table
- ① [caption](#) – table title
- ① [colgroup](#) – table column group
- ① [col](#) – table column
- ① [tbody](#) – table row group
- ① [thead](#) – table heading group
- ① [tfoot](#) – table footer row group
- ① [tr](#) – table row
- ① [td](#) – table cell
- ① [th](#) – table header cell

5.10. Forms

- ① [form](#) – user-submittable form
- ① [fieldset](#) – set of related form controls
- ① [legend](#) – title or explanatory caption
- ① [label](#) – caption for a form control
- ① [input](#) – input control **CHANGED**
- ① [button](#) – button
- ① [select](#) – option-selection form control
- ① [datalist](#) – predefined options for other controls **NEW**

jump

- ① [optgroup](#) – group of options
- ① [option](#) – option
- ① [textarea](#) – text input area
- ① [keygen](#) – key-pair generator/input control **NEW**
- ① [output](#) – result of a calculation in a form **NEW**
- ① [progress](#) – progress indicator **NEW**
- ① [meter](#) – scalar gauge **NEW**

5.11. Interactive elements

- ① [details](#) – control for additional on-demand information **NEW**
- ① [summary](#) – summary, caption, or legend for a details control **NEW**
- ① [command](#) – command **NEW**
- ① [menu](#) – list of commands **CHANGED**

« [syntax](#)

[elements](#) »

jump